

## I. 환자감시 : 전수감시 감염병 주간 발생 현황

### 1. 2024년 10주차 보고 현황(2024. 3. 9. 기준)\*

단위: 보고 환자수<sup>†</sup>

감염병 <sup>†</sup>	금주	2024년	5년간 주별	연간현황					금주 해외유입현황 : 국가명(신고수)
		누계	평균 <sup>§</sup>	2023	2022	2021	2020	2019	
제2급감염병									
결핵	351	3,123	350	15,872	16,264	18,335	19,933	23,821	
수두	292	4,752	546	26,916	18,547	20,929	31,430	82,868	
홍역	0	9	1	8	0	0	6	194	
콜레라	0	0	0	0	0	0	0	1	
장티푸스	0	4	1	19	38	61	39	94	
파라티푸스	0	1	0	22	31	29	58	55	
세균성이질	1	5	0	37	31	18	29	151	
장출혈성대장균감염증	0	12	1	217	211	165	270	146	
A형간염	14	218	98	1,324	1,890	6,583	3,989	17,598	
백일해	16	174	3	293	31	21	123	496	
유행성이하선염	79	830	169	7,728	6,358	9,708	9,922	15,967	
풍진	0	0	0	0	0	0	0	8	
수막구균 감염증	0	2	0	10	3	2	5	16	
폐렴구균 감염증	2	107	7	431	339	269	345	526	
한센병	0	1	0	3	2	5	3	4	
성홍열	23	355	53	810	505	678	2,300	7,562	
반코마이신내성황색 포도알균(VRSA) 감염증	0	0	0	2	1	2	9	3	
카바페넴내성장내세균 속균종(CRE) 감염증	879	9,967	381	38,396	30,548	23,311	18,113	15,369	
E형간염	4	110	-	572	528	494	191	-	
제3급감염병									
파상풍	0	2	0	28	23	21	30	31	
B형간염	1	49	7	315	332	453	382	389	
일본뇌염	0	0	0	16	11	23	7	34	
C형간염	58	1,179	183	7,247	8,308	10,115	11,849	9,810	
말라리아	0	7	1	740	420	294	385	559	
레지오넬라증	3	60	6	511	415	383	368	501	
비브리오패혈증	0	0	0	69	46	52	70	42	
발진열	0	2	0	22	4	9	1	14	
쯔쯔가무시증	8	245	9	5,654	6,235	5,915	4,479	4,005	
렙토스피라증	0	2	1	58	125	144	114	138	
브루셀라증	0	0	0	5	5	4	8	1	
신증후군출혈열	2	35	2	452	302	310	270	399	
후천성면역결핍증(AIDS)	19	105	16	750	825	773	818	1,006	
크로이츠펔트-야콥병(CJD)	0	0	1	60	61	67	64	53	
댕기열	2	28	1	205	103	3	43	273	인도네시아(1), 필리핀(1)
큐열	1	9	1	58	56	46	69	162	
라임병	0	0	0	44	22	8	18	23	
유비저	0	0	0	2	2	2	1	8	
치쿤구니야열	0	0	0	13	8	0	1	16	
중증열성혈소판감소 증후군(SFTS)	0	0	0	198	193	172	243	223	
지카바이러스감염증	0	0	0	2	3	0	1	3	
엡폭스(원숭이두창)	0	0	-	151	4	-	-	-	
매독(1기)	23	181	-	-	-	-	-	-	네덜(1), 미국(1), 베트남(1), 중국(1)
매독(2기)	13	84	-	-	-	-	-	-	
매독(3기)	0	18	-	-	-	-	-	-	
매독(선천성)	0	2	-	-	-	-	-	-	
매독(잠복)	32	245	-	-	-	-	-	-	몽골(1), 예멘(1)

\* 2023, 2024년 통계는 변동가능한 잠정통계이며, 2024년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 미포함 질병: 에볼라바이러스병, 마버그열, 라싸열, 크리미안콩고출혈열, 남아메리카출혈열, 리프트밸리열, 두창, 페스트, 탄저, 보툴리눔독소증, 아토프, 신종감염병증후군, 중증급성호흡기증후군(SARS), 중증호흡기증후군(MERS), 동물인플루엔자 인체감염증, 신종인플루엔자, 디프테리아, 폴리오, b형헤모필루스인플루엔자, 발진티푸스, 공수병, 황열, 웨스트나일열, 진드기매개뇌염

§ 최근 5년(2019~2023년)의 해당 주의 신고 건수와 이전 2주, 이후 2주 동안의 신고 건수(총 25주) 평균임

2. 지역별 보고 현황(2024. 3. 9. 기준)(10주차)\*

단위: 보고 환자수†

지역	제2급감염병											
	결핵			수두			홍역			콜레라		
	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡
전국	351	3,123	3,557	292	4,752	8,109	0	9	15	0	0	0
서울	51	550	617	27	523	920	0	1	1	0	0	0
부산	24	177	234	18	274	455	0	2	1	0	0	0
대구	15	149	176	14	243	388	0	0	2	0	0	0
인천	19	175	189	12	225	409	0	1	1	0	0	0
광주	10	83	86	9	222	395	0	0	0	0	0	0
대전	4	68	80	10	70	203	0	0	1	0	0	0
울산	8	56	65	13	181	152	0	0	0	0	0	0
세종	3	8	14	0	47	76	0	0	8	0	0	0
경기	69	681	793	71	1,270	2,142	0	1	0	0	0	0
강원	15	119	150	5	121	215	0	0	0	0	0	0
충북	14	103	110	6	146	234	0	2	0	0	0	0
충남	22	157	189	14	217	302	0	0	0	0	0	0
전북	18	134	140	10	138	338	0	0	0	0	0	0
전남	24	175	187	23	229	366	0	0	1	0	0	0
경북	32	253	266	10	352	470	0	0	0	0	0	0
경남	22	198	216	40	327	858	0	2	0	0	0	0
제주	1	37	43	10	167	186	0	0	0	0	0	0

\* 2023, 2024년 통계는 변동가능한 잠정통계임  
† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함  
‡ 최근 5년(2019~2023년)의 1주부터 해당 주까지 누계의 평균임

## 2. (계속) 지역별 보고 현황(2024. 3. 9. 기준)(10주차)\*

단위: 보고 환자수†

지역	제2급감염병											
	장티푸스			파라티푸스			세균성이질			장출혈성대장균감염증		
	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡
전국	0	4	16	0	1	3	1	5	9	0	12	8
서울	0	2	4	0	0	0	0	0	2	0	2	2
부산	0	0	1	0	0	0	0	0	1	0	0	0
대구	0	0	1	0	0	0	0	0	0	0	0	0
인천	0	0	1	0	0	1	0	0	1	0	1	0
광주	0	0	0	0	0	0	0	0	1	0	1	1
대전	0	0	1	0	0	0	0	0	0	0	1	0
울산	0	1	1	0	0	0	0	0	0	0	1	0
세종	0	0	0	0	0	0	0	0	0	0	0	0
경기	0	1	4	0	1	1	0	2	2	0	2	2
강원	0	0	0	0	0	0	1	1	0	0	1	0
충북	0	0	0	0	0	0	0	0	0	0	0	0
충남	0	0	0	0	0	0	0	0	0	0	2	1
전북	0	0	0	0	0	0	0	1	0	0	0	1
전남	0	0	0	0	0	0	0	0	1	0	1	0
경북	0	0	1	0	0	0	0	0	0	0	0	0
경남	0	0	2	0	0	1	0	1	1	0	0	1
제주	0	0	0	0	0	0	0	0	0	0	0	0

\* 2023, 2024년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2019~2023년)의 1주부터 해당 주까지 누계의 평균임

## 2. (계속) 지역별 보고 현황(2024. 3. 9. 기준)(10주차)\*

단위: 보고 환자수†

지역	제2급감염병											
	A형간염			백일해			유행성이하선염			풍진		
	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡
전국	14	218	729	16	174	42	79	830	1,602	0	0	0
서울	1	25	128	0	6	6	5	94	214	0	0	0
부산	2	13	17	0	2	2	4	39	87	0	0	0
대구	2	13	10	0	0	3	6	40	60	0	0	0
인천	0	6	57	0	7	2	4	40	77	0	0	0
광주	0	4	14	0	5	2	1	18	45	0	0	0
대전	2	8	70	3	7	1	3	19	49	0	0	0
울산	0	3	5	0	0	1	5	39	51	0	0	0
세종	0	3	10	0	0	1	1	6	11	0	0	0
경기	2	72	226	1	21	5	17	224	471	0	0	0
강원	0	2	17	0	0	1	4	44	59	0	0	0
충북	0	10	33	0	1	1	1	27	47	0	0	0
충남	1	17	57	0	6	1	6	38	77	0	0	0
전북	3	10	32	0	4	1	4	26	68	0	0	0
전남	0	9	16	0	0	5	6	45	63	0	0	0
경북	1	7	18	0	0	5	6	50	76	0	0	0
경남	0	10	13	12	115	5	5	62	120	0	0	0
제주	0	6	6	0	0	0	1	19	27	0	0	0

\* 2023, 2024년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2019~2023년)의 1주부터 해당 주까지 누계의 평균임

2. (계속) 지역별 보고 현황(2024. 3. 9. 기준)(10주차)\*

단위: 보고 환자수†

지역	제2급감염병						제3급감염병					
	수막구균 감염증			성홍열			파상풍			B형간염		
	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡
전국	0	2	2	23	355	592	0	2	0	1	49	65
서울	0	0	1	1	47	94	0	0	0	0	5	9
부산	0	0	0	0	16	35	0	0	0	0	6	3
대구	0	0	0	0	3	16	0	0	0	0	1	2
인천	0	0	0	2	29	30	0	0	0	0	2	3
광주	0	0	0	1	13	37	0	0	0	0	1	2
대전	0	0	0	0	12	24	0	0	0	0	0	3
울산	0	0	0	2	8	23	0	0	0	0	2	1
세종	0	0	0	0	0	4	0	0	0	0	0	0
경기	0	2	1	13	155	168	0	1	0	0	13	19
강원	0	0	0	1	17	12	0	0	0	0	0	2
충북	0	0	0	0	8	10	0	1	0	1	3	2
충남	0	0	0	0	5	28	0	0	0	0	8	3
전북	0	0	0	0	1	18	0	0	0	0	2	3
전남	0	0	0	0	3	21	0	0	0	0	1	4
경북	0	0	0	0	20	25	0	0	0	0	3	3
경남	0	0	0	1	11	40	0	0	0	0	2	5
제주	0	0	0	2	7	7	0	0	0	0	0	1

\* 2023, 2024년 통계는 변동가능한 잠정통계임  
† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함  
‡ 최근 5년(2019~2023년)의 1주부터 해당 주까지 누계의 평균임

## 2. (계속) 지역별 보고 현황(2024. 3. 9. 기준)(10주차)\*

단위: 보고 환자수†

지역	제3급감염병											
	일본뇌염			말라리아			레지오넬라증			비브리오패혈증		
	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡
전국	0	0	0	0	7	10	3	60	70	0	0	0
서울	0	0	0	0	3	2	2	17	17	0	0	0
부산	0	0	0	0	0	1	0	3	4	0	0	0
대구	0	0	0	0	0	0	1	3	4	0	0	0
인천	0	0	0	0	0	1	0	4	4	0	0	0
광주	0	0	0	0	0	1	0	1	1	0	0	0
대전	0	0	0	0	0	1	0	2	1	0	0	0
울산	0	0	0	0	0	0	0	1	1	0	0	0
세종	0	0	0	0	0	0	0	0	0	0	0	0
경기	0	0	0	0	2	3	0	17	16	0	0	0
강원	0	0	0	0	0	1	0	1	2	0	0	0
충북	0	0	0	0	0	0	0	1	1	0	0	0
충남	0	0	0	0	0	0	0	3	1	0	0	0
전북	0	0	0	0	0	0	0	0	2	0	0	0
전남	0	0	0	0	1	0	0	1	3	0	0	0
경북	0	0	0	0	0	0	0	4	3	0	0	0
경남	0	0	0	0	1	0	0	0	4	0	0	0
제주	0	0	0	0	0	0	0	2	6	0	0	0

\* 2023, 2024년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2019~2023년)의 1주부터 해당 주까지 누계의 평균임

## 2. (계속) 지역별 보고 현황(2024. 3. 9. 기준)(10주차)\*

단위: 보고 환자수†

지역	제3급감염병											
	발진열			프프가무시증			렙토스피라증			브루셀라증		
	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡
전국	0	2	0	8	245	138	0	2	7	0	0	0
서울	0	0	0	0	1	4	0	0	1	0	0	0
부산	0	0	0	1	5	7	0	0	1	0	0	0
대구	0	0	0	0	4	2	0	0	0	0	0	0
인천	0	0	0	0	0	2	0	0	0	0	0	0
광주	0	0	0	0	0	3	0	0	0	0	0	0
대전	0	0	0	1	4	2	0	0	0	0	0	0
울산	0	0	0	0	2	3	0	0	0	0	0	0
세종	0	0	0	0	0	1	0	0	0	0	0	0
경기	0	0	0	0	8	6	0	0	1	0	0	0
강원	0	0	0	0	0	1	0	0	0	0	0	0
충북	0	0	0	0	1	2	0	0	0	0	0	0
충남	0	0	0	1	15	10	0	1	2	0	0	0
전북	0	0	0	2	25	24	0	0	1	0	0	0
전남	0	2	0	0	103	34	0	0	1	0	0	0
경북	0	0	0	1	8	4	0	0	0	0	0	0
경남	0	0	0	2	65	28	0	1	0	0	0	0
제주	0	0	0	0	4	5	0	0	0	0	0	0

\* 2023, 2024년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2019~2023년)의 1주부터 해당 주까지 누계의 평균임

## 2. (계속) 지역별 보고 현황(2024. 3. 9. 기준)(10주차)\*

단위: 보고 환자수†

지역	제3급감염병											
	신증후군출혈열			크로이츠펔트-야콥병(CJD)			맹기열			큐열		
	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡
전국	2	35	33	0	0	13	2	28	21	1	9	7
서울	0	1	1	0	0	3	1	5	7	0	2	0
부산	0	0	1	0	0	1	0	0	2	0	0	0
대구	0	0	1	0	0	0	0	0	1	0	0	0
인천	0	1	1	0	0	0	0	1	2	0	0	0
광주	0	0	1	0	0	1	0	0	0	0	0	0
대전	1	1	1	0	0	0	0	0	0	0	0	1
울산	0	0	0	0	0	0	0	1	0	0	0	0
세종	0	0	0	0	0	0	0	0	0	0	0	0
경기	0	4	5	0	0	4	0	14	6	0	0	1
강원	0	1	4	0	0	1	0	0	1	0	0	0
충북	0	1	0	0	0	0	0	0	1	1	3	2
충남	1	6	4	0	0	0	1	1	1	0	1	1
전북	0	4	6	0	0	1	0	2	0	0	1	1
전남	0	6	5	0	0	0	0	2	0	0	0	1
경북	0	3	2	0	0	1	0	0	0	0	2	0
경남	0	5	1	0	0	1	0	2	0	0	0	0
제주	0	2	0	0	0	0	0	0	0	0	0	0

\* 2023, 2024년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2019~2023년)의 1주부터 해당 주까지 누계의 평균임



2. (계속) 지역별 보고 현황(2024. 3. 9. 기준)(10주차)\*

단위: 보고 환자수†

지역	제3급감염병								
	라임병			중증열성혈소판감소증후군(SFTS)			지카바이러스감염증		
	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡	금주	2024년 누계	5년 누계 평균‡
전국	0	0	2	0	0	0	0	0	0
서울	0	0	1	0	0	0	0	0	0
부산	0	0	0	0	0	0	0	0	0
대구	0	0	0	0	0	0	0	0	0
인천	0	0	1	0	0	0	0	0	0
광주	0	0	0	0	0	0	0	0	0
대전	0	0	0	0	0	0	0	0	0
울산	0	0	0	0	0	0	0	0	0
세종	0	0	0	0	0	0	0	0	0
경기	0	0	0	0	0	0	0	0	0
강원	0	0	0	0	0	0	0	0	0
충북	0	0	0	0	0	0	0	0	0
충남	0	0	0	0	0	0	0	0	0
전북	0	0	0	0	0	0	0	0	0
전남	0	0	0	0	0	0	0	0	0
경북	0	0	0	0	0	0	0	0	0
경남	0	0	0	0	0	0	0	0	0
제주	0	0	0	0	0	0	0	0	0

\* 2023, 2024년 통계는 변동가능한 잠정통계임  
† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함  
‡ 최근 5년(2019~2023년)의 1주부터 해당 주까지 누계의 평균임

## II. 환자감시 : 표본감시 감염병 주간 발생 현황

### 1. 인플루엔자 주간 발생 현황(9주차, 2024. 3. 2. 기준)

- 외래환자 1,000명당 의사환자분율(ILI): 14.8명(=1.5%)
  - 변동(주간): 2024년 8주차(17.9명) 대비 감소
  - 표본보고기관: 198개 의료기관
- ※ 2023-2024절기 유행기준: 6.5명/(1,000), ILI = Influenza-like illness rate.




그림 1. 외래 환자 1,000명당 인플루엔자 의사환자 발생 현황

### 2. 수족구병 발생 주간 현황(10주차, 2024. 3. 9. 기준)

- 외래환자 1,000명당 의사환자분율: 0.7명
- 변동(주간): 2024년 9주차(1.0명) 대비 감소
- 표본보고기관: 전국 109개 의료기관




그림 2. 외래 환자 1,000명당 수족구병 의사환자 발생 현황

### 3. 안과 감염병 주간 발생 현황(10주차, 2024. 3. 9. 기준)

- 외래환자 1,000명당 유행성각결막염 의사환자분율: 3.2명
- 변동(주간): 2024년 9주차(3.4명) 대비 감소
- 표본보고기관: 전국 85개 의료기관




그림 3. 외래 환자 1,000명당 유행성각결막염 의사환자 발생 현황

- 외래환자 1,000명당 급성출혈성결막염 의사환자분율: 0.5명
- 변동(주간): 2024년 9주차(0.2명) 대비 증가
- 표본보고기관: 전국 85개 의료기관




그림 4. 외래 환자 1,000명당 급성출혈성결막염 의사환자 발생 현황

#### 4. 성매개감염병 주간 발생 현황(10주차, 2024. 3. 9. 기준)

- 보고기관 당 환자수: 사람유두종바이러스 감염증 3.5건, 성기단순포진 2.8건, 클라미디아감염증 1.7건, 첨규콘딜롬 1.4건, 임질 1.3건을 신고함
- 변동(주간): **증가** 임질(1.0→1.3), 사람유두종바이러스 감염증(3.4→3.5)  
**동일** 클라미디아 감염증(1.7→1.7), 성기단순포진(2.8→2.8)  
**감소** 첨규콘딜롬(1.5→1.4)
- 표본보고기관: 전국 보건소 및 의료기관 569개
- \* 제10주차 신고의료기관 수: 임질 20개, 클라미디아감염증 71개, 성기단순포진 51개, 첨규콘딜롬 26개, 사람유두종바이러스 감염증 42개

단위 : 보고기관 당 환자수

임질			클라미디아 감염증			성기단순포진		
금주	2024년 누적 <sup>†</sup>	최근 5년 누적 평균 <sup>§</sup>	금주	2024년 누적 <sup>†</sup>	최근 5년 누적 평균 <sup>§</sup>	금주	2024년 누적 <sup>†</sup>	최근 5년 누적 평균 <sup>§</sup>
1.3	2.1	2.8	1.7	5.7	5.8	2.8	11.9	11.5

첨규콘딜롬			사람유두종바이러스 감염증		
금주	2024년 누적 <sup>†</sup>	최근 5년 누적 평균 <sup>§</sup>	금주	2024년 누적 <sup>†</sup>	최근 5년 누적 평균 <sup>§</sup>
1.4	4.3	5.0	3.5	21.5	9.4

누계 : 매년 첫 주부터 금주까지의 보고 누계

<sup>†</sup> 각 질병별로 규정된 신고 범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함<sup>§</sup> 최근 5년('19~'23) 누적 평균(Cum. 5-year average) : 최근 5년 1주차부터 금주까지 누적 환자 수 평균

### Ⅲ. 수인성 및 식품매개 감염병 주간 발생 현황

#### 1. 수인성 및 식품매개 감염병 집단발생 주간 현황(10주차, 2024. 3. 9. 기준)

- 수인성 및 식품매개 감염병 집단발생: 11건, 216명(금년 누적 발생: 106건, 1,496명)
- 변동(주간): 2024년 9주차(5건) 대비 증가




그림 5. 수인성 및 식품매개 감염병 집단발생 현황

## IV. 병원체감시 : 인플루엔자 및 호흡기바이러스

### 1. 인플루엔자 바이러스 주간 현황(10주차, 2024. 3. 9. 기준)

- 인플루엔자 양성률: 5.7%  
[인플루엔자 아형: A(H1N1)pdm09 0%, A(H3N2) 1.8%, B형 3.9%]
- 변동(주간): 2024년 9차(6.1%) 대비 감소
- 표본보고기관: 전국 77개 의료기관




그림 6. 인플루엔자 바이러스 검출 현황

### 2. 호흡기 바이러스 주간 현황(10주차, 2024. 3. 9. 기준)

- 호흡기바이러스 양성률: 68.8%(금주 및 최근 3주 누적 분율: 71.3%)
  - 변동(주간): 2024년 9주차(72.4%) 대비 감소
  - 표본보고기관: 18개 시·도 보건환경연구원 및 77개 의료기관
- ※ 주별 통계는 잠정통계이므로 변동 가능

2024 (주)	주별	검출률 (%)								
	검출률 (%)	아데노 바이러스	보카 바이러스	파라 인플루엔자 바이러스	호흡기 세포융합 바이러스	리노 바이러스	메타뉴모 바이러스	코로나 바이러스	인플루엔자 바이러스	코로나19 바이러스
7	73.2	5.4	0.7	0.7	12.3	5.4	2.5	6.2	17.8	22.1
8	71.2	5.7	1.8	2.1	11.4	8.8	3.9	5.5	10.6	21.3
9	72.4	4.8	2.1	0.3	15.2	9.7	8.2	6.1	6.1	20.0
10	68.8	8.3	2.4	1.5	9.8	10.7	5.4	4.5	5.7	20.5
4주 누적※	71.3	6.1	1.8	1.2	12.1	8.8	5.0	5.5	9.7	20.9
2023년 누적▽	81.4	14.8	4.0	6.3	6.4	14.3	4.5	5.2	16.1	9.8

※ 4주 누적 : 2024년 2월 11일 - 2024년 3월 9일 검출률임.

▽ 2023년 누적 : 2023년 1월 1일 - 2023년 12월 30일 검출률임.

## V. 병원체감시 : 급성 설사질환 바이러스 및 세균

### 1. 급성설사 바이러스 주간 검출 현황(9주차, 2024. 3. 2. 기준)

- 급성설사 바이러스 검출률: 34.0%(16건 양성 / 47 검체) [2024년 누적분율: 54.6% (307건 양성 / 562 검체)]
- 변동(주간): 2024년 8주차(52.1%) 대비 감소
- 표본보고기관: 18개 시·도 보건환경연구원 및 72개 의료기관

주	검체수	검출 건수(검출률, %)					
		노로바이러스	그룹 A 로타바이러스	장내 아데노바이러스	아스트로바이러스	사포바이러스	합계
6	65	24 (36.9)	3 (4.6)	1 (1.5)	0 (0.0)	0 (0.0)	28 (43.1)
7	57	32 (56.1)	1 (1.8)	1 (1.8)	2 (3.5)	0 (0.0)	36 (63.2)
8	48	25 (52.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	25 (52.1)
9	47	14 (29.8)	1 (2.1)	0 (0.0)	0 (0.0)	1 (2.1)	16 (34.0)
2024년 누적	562	275 (48.9)	17 (3.0)	6 (1.1)	4 (0.7)	5 (0.9)	307 (54.6)

\* 검체는 5세 이하 아동의 급성설사 질환자에게서 수집됨.

### 2. 급성설사 세균 주간 검출 현황(9주차, 2024. 3. 2. 기준)

- 급성설사 세균 검출률: 9.6%(13건 양성 / 136 검체) [2024년 누적분율: 10.2%(212건 양성 / 2,081 검체)]
- 변동(주간): 2024년 8주차(14.1%) 대비 감소
- 표본보고기관: 18개 시·도 보건환경연구원 및 76개 의료기관

주	검체수	분리 건수(분리율, %)									
		살모넬라균	병원성 대장균	세균성 이질균	장염 비브리오균	비브리오 콜레라균	캠필로 박터균	클라스트리дум 퍼프린젠스	황색 포도알균	바실러스 세레우스균	합계
6	211	1 (0.5)	9 (4.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.5)	3 (1.4)	5 (2.4)	3 (1.4)	22 (10.4)
7	236	1 (0.4)	3 (1.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	1 (0.4)	4 (1.7)	5 (2.1)	16 (6.8)
8	213	6 (2.8)	7 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (0.9)	7 (3.3)	5 (2.3)	3 (1.4)	30 (14.1)
9	136	1 (0.7)	2 (1.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (1.5)	6 (4.4)	2 (1.5)	13 (9.6)
2024년 누적	2,081	17 (0.8)	66 (3.2)	0 (0.0)	1 (0.04)	0 (0.0)	12 (0.6)	37 (1.8)	49 (2.4)	25 (1.2)	212 (10.2)

\* 2024년 실험실 감시체계 참여기관(76개 의료기관)

## VI. 병원체감시 : 엔테로바이러스

### 1. 엔테로바이러스 주간 검출 현황(9주차, 2024. 3. 2. 기준)

- 엔테로바이러스 검출률: 0.0%(0건 양성 / 4 검체) [2024년 누적분율: 24.2%(23건 양성 / 95 검체)]
  - 무균성수막염: 0건 (2024년 누계: 2건)
  - 수족구병 및 포진성구협염: 0건 (2024년 누계: 9건)
  - 합병증 동반 수족구: 0건 (2024년 누계: 1건)
  - 기타: 0건 (2024년 누계: 12건)
- 변동(주간): 2024년 8주차(25.0%) 대비 감소
- 표본보고기관: 18개 시·도 보건환경연구원 및 77개 의료기관




그림 7. 무균성수막염 바이러스 검출수




그림 8. 수족구 및 포진성구협염 바이러스 검출수




그림 9. 합병증 동반 수족구 바이러스 검출수

## 주요 통계 이해하기

〈통계표 1〉은 지난 5년간 발생한 법정감염병과 2024년 해당 주 발생현황을 비교한 표로, **금주 환자 수(Current week)**는 2024년 해당주의 신고 건수를 나타내며, **2024년 누계 환자 수(Cum. 2024)**는 2024년 1주부터 해당 주까지의 누계 건수, 그리고 **5년 주 평균 환자 수(5-year weekly average)**는 지난 5년(2019-2023년) 해당 주의 신고 건수와 이전 2주, 이후 2주의 신고 건수(총 25주) 평균으로 계산된다. 그러므로 금주 환자 수(Current week)와 5년 주 평균 환자 수(5-year weekly average)의 신고 건수를 비교하면 해당 주 단위 시점과 예년의 신고 수준을 비교해 볼 수 있다. 연도별 환자 수(Total no. of cases by year)는 지난 5년간 해당 감염병 현황을 나타내는 확정 통계이며 연도별 현황을 비교해 볼 수 있다.

예) 2023년 12주의 5년 주 평균 환자 수(5-year weekly average)는 2019년부터 2023년의 10주부터 14주까지의 신고 건수를 총 25주로 나눈 값으로 구해진다.

$$* 5년 주 평균 환자 수(5-year weekly average) = (X1 + X2 + \dots + X25) / 25$$

	10주	11주	12주	13주	14주
2024년			해당 주		
2023년	X1	X2	X3	X4	X5
2022년	X6	X7	X8	X9	X10
2021년	X11	X12	X13	X14	X15
2020년	X16	X17	X18	X19	X20
2019년	X21	X22	X23	X24	X25

〈통계표 2〉는 17개 시·도 별로 구분한 법정감염병 보고 현황을 보여 주고 있으며, 각 감염병별로 최근 5년 누계 평균 환자 수(Cum, 5-year average)와 2024년 누계 환자 수(Cum, 2024)를 비교해 보면 최근까지의 누적 신고 건수에 대한 이전 5년 동안 해당 주까지의 평균 신고 건수와 비교가 가능하다. 최근 5년 누계 평균 환자 수(Cum, 5-year average)는 지난 5년(2019-2023년) 동안의 동기간 신고 누계 평균으로 계산된다.

기타 표본감시 감염병에 대한 신고현황 그림과 통계는 최근 발생양상을 신속하게 파악하는데 도움이 된다.



## I . National Notifiable Infectious Diseases

### 1. Reported cases, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases<sup>†</sup>

Classification of disease <sup>†</sup>	Current week	Cum. 2024	5-year weekly average <sup>§</sup>	Total no. of cases by year					Imported cases of current week : Country (no. of cases)
				2023	2022	2021	2020	2019	
Category II									
Tuberculosis	351	3,123	350	15,872	16,264	18,335	19,933	23,821	
Varicella	292	4,752	546	26,916	18,547	20,929	31,430	82,868	
Measles	0	9	1	8	0	0	6	194	
Cholera	0	0	0	0	0	0	0	1	
Typhoid fever	0	4	1	19	38	61	39	94	
Paratyphoid fever	0	1	0	22	31	29	58	55	
Shigellosis	1	5	0	37	31	18	29	151	
EHEC	0	12	1	217	211	165	270	146	
Viral hepatitis A	14	218	98	1,324	1,890	6,583	3,989	17,598	
Pertussis	16	174	3	293	31	21	123	496	
Mumps	79	830	169	7,728	6,358	9,708	9,922	15,967	
Rubella	0	0	0	0	0	0	0	8	
Meningococcal disease	0	2	0	10	3	2	5	16	
Pneumococcal disease	2	107	7	431	339	269	345	526	
Hansen’s disease	0	1	0	3	2	5	3	4	
Scarlet fever	23	355	53	810	505	678	2,300	7,562	
VRSA	0	0	0	2	1	2	9	3	
CRE	879	9,967	381	38,396	30,548	23,311	18,113	15,369	
Viral hepatitis E	4	110	–	572	528	494	191	–	
Category III									
Tetanus	0	2	0	28	23	21	30	31	
Viral hepatitis B	1	49	7	315	332	453	382	389	
Japanese encephalitis	0	0	0	16	11	23	7	34	
Viral hepatitis C	58	1,179	183	7,247	8,308	10,115	11,849	9,810	
Malaria	0	7	1	740	420	294	385	559	
Legionellosis	3	60	6	511	415	383	368	501	
<i>Vibrio vulnificus</i> sepsis	0	0	0	69	46	52	70	42	
Murine typhus	0	2	0	22	4	9	1	14	
Scrub typhus	8	245	9	5,654	6,235	5,915	4,479	4,005	
Leptospirosis	0	2	1	58	125	144	114	138	
Brucellosis	0	0	0	5	5	4	8	1	
HFRS	2	35	2	452	302	310	270	399	
HIV/AIDS	19	105	16	750	825	773	818	1,006	
CJD	0	0	1	60	61	67	64	53	
Dengue fever	2	28	1	205	103	3	43	273	Indonesia (1), Philippines (1)
Q fever	1	9	1	58	56	46	69	162	
Lyme Borreliosis	0	0	0	44	22	8	18	23	
Melioidosis	0	0	0	2	2	2	1	8	
Chikungunya fever	0	0	0	13	8	0	1	16	
SFTS	0	0	0	198	193	172	243	223	
Zika virus infection	0	0	0	2	3	0	1	3	
MPOX (Monkeypox)	0	0	–	151	4	–	–	–	
Primary syphilis	23	181	–	–	–	–	–	–	Nepal (1), United States of America (1), Vietnam (1), China (1)
Secondary syphilis	13	84	–	–	–	–	–	–	
Tertiary syphilis	0	18	–	–	–	–	–	–	
Congenital syphilis	0	2	–	–	–	–	–	–	
Latent syphilis	32	245	–	–	–	–	–	–	Mongolia (1), Yemen (1)

Abbreviation: EHEC= Enterohemorrhagic Escherichia coli, VRSA= Vancomycin-resistant Staphylococcus aureus, CRE= Carbapenem-resistant Enterobacteriaceae, HFRS= Hemorrhagic fever with renal syndrome, CJD= Creutzfeldt-Jacob Disease, SFTS= Severe fever with thrombocytopenia syndrome.

Cum: Cumulative counts from 1st week to current week in a year.

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ The reported surveillance data excluded no incidence data such as Ebola virus disease, Marburg Hemorrhagic fever, Lassa fever, Crimean Congo Hemorrhagic fever, South American Hemorrhagic fever, Rift Valley fever, Smallpox, Plague, Anthrax, Botulism, Tularemia, Newly emerging infectious disease syndrome, Severe Acute Respiratory Syndrome, Middle East Respiratory Syndrome, Human infection with zoonotic influenza, Novel Influenza, Diphtheria, Poliomyelitis, Haemophilus influenza type b, Epidemic typhus, Rabies, Yellow fever, West Nile fever and Tick-borne Encephalitis.

## 2. Reported cases by geography, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases<sup>†</sup>

Reporting area	Diseases of Category II											
	Tuberculosis			Varicella			Measles			Cholera		
	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>
Overall	351	3,123	3,557	292	4,752	8,109	0	9	15	0	0	0
Seoul	51	550	617	27	523	920	0	1	1	0	0	0
Busan	24	177	234	18	274	455	0	2	1	0	0	0
Daegu	15	149	176	14	243	388	0	0	2	0	0	0
Incheon	19	175	189	12	225	409	0	1	1	0	0	0
Gwangju	10	83	86	9	222	395	0	0	0	0	0	0
Daejeon	4	68	80	10	70	203	0	0	1	0	0	0
Ulsan	8	56	65	13	181	152	0	0	0	0	0	0
Sejong	3	8	14	0	47	76	0	0	8	0	0	0
Gyeonggi	69	681	793	71	1,270	2,142	0	1	0	0	0	0
Gangwon	15	119	150	5	121	215	0	0	0	0	0	0
Chungbuk	14	103	110	6	146	234	0	2	0	0	0	0
Chungnam	22	157	189	14	217	302	0	0	0	0	0	0
Jeonbuk	18	134	140	10	138	338	0	0	0	0	0	0
Jeonnam	24	175	187	23	229	366	0	0	1	0	0	0
Gyeongbuk	32	253	266	10	352	470	0	0	0	0	0	0
Gyeongnam	22	198	216	40	327	858	0	2	0	0	0	0
Jeju	1	37	43	10	167	186	0	0	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

<sup>†</sup> According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.<sup>‡</sup> Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

## 2. (Continued) Reported cases by geography, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases<sup>†</sup>

Reporting area	Diseases of Category II											
	Typhoid fever			Paratyphoid fever			Shigellosis			Enterohemorrhagic <i>Escherichia coli</i>		
	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>
Overall	0	4	16	0	1	3	1	5	9	0	12	8
Seoul	0	2	4	0	0	0	0	0	2	0	2	2
Busan	0	0	1	0	0	0	0	0	1	0	0	0
Daegu	0	0	1	0	0	0	0	0	0	0	0	0
Incheon	0	0	1	0	0	1	0	0	1	0	1	0
Gwangju	0	0	0	0	0	0	0	0	1	0	1	1
Daejeon	0	0	1	0	0	0	0	0	0	0	1	0
Ulsan	0	1	1	0	0	0	0	0	0	0	1	0
Sejong	0	0	0	0	0	0	0	0	0	0	0	0
Gyeonggi	0	1	4	0	1	1	0	2	2	0	2	2
Gangwon	0	0	0	0	0	0	1	1	0	0	1	0
Chungbuk	0	0	0	0	0	0	0	0	0	0	0	0
Chungnam	0	0	0	0	0	0	0	0	0	0	2	1
Jeonbuk	0	0	0	0	0	0	0	1	0	0	0	1
Jeonnam	0	0	0	0	0	0	0	0	1	0	1	0
Gyeongbuk	0	0	1	0	0	0	0	0	0	0	0	0
Gyeongnam	0	0	2	0	0	1	0	1	1	0	0	1
Jeju	0	0	0	0	0	0	0	0	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

<sup>†</sup> According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.<sup>‡</sup> Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

## 2. (Continued) Reported cases by geography, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases†

Reporting area	Diseases of Category II											
	Viral hepatitis A			Pertussis			Mumps			Rubella		
	Current week	Cum. 2024	Cum. 5-year average‡	Current week	Cum. 2024	Cum. 5-year average‡	Current week	Cum. 2024	Cum. 5-year average‡	Current week	Cum. 2024	Cum. 5-year average‡
Overall	14	218	729	16	174	42	79	830	1,602	0	0	0
Seoul	1	25	128	0	6	6	5	94	214	0	0	0
Busan	2	13	17	0	2	2	4	39	87	0	0	0
Daegu	2	13	10	0	0	3	6	40	60	0	0	0
Incheon	0	6	57	0	7	2	4	40	77	0	0	0
Gwangju	0	4	14	0	5	2	1	18	45	0	0	0
Daejeon	2	8	70	3	7	1	3	19	49	0	0	0
Ulsan	0	3	5	0	0	1	5	39	51	0	0	0
Sejong	0	3	10	0	0	1	1	6	11	0	0	0
Gyeonggi	2	72	226	1	21	5	17	224	471	0	0	0
Gangwon	0	2	17	0	0	1	4	44	59	0	0	0
Chungbuk	0	10	33	0	1	1	1	27	47	0	0	0
Chungnam	1	17	57	0	6	1	6	38	77	0	0	0
Jeonbuk	3	10	32	0	4	1	4	26	68	0	0	0
Jeonnam	0	9	16	0	0	5	6	45	63	0	0	0
Gyeongbuk	1	7	18	0	0	5	6	50	76	0	0	0
Gyeongnam	0	10	13	12	115	5	5	62	120	0	0	0
Jeju	0	6	6	0	0	0	1	19	27	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

## 2. (Continued) Reported cases by geography, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases†

Reporting area	Diseases of Category II						Diseases of Category III					
	Meningococcal disease			Scarlet fever			Tetanus			Viral hepatitis B		
	Current week	Cum. 2024	Cum. 5-year average‡	Current week	Cum. 2024	Cum. 5-year average‡	Current week	Cum. 2024	Cum. 5-year average‡	Current week	Cum. 2024	Cum. 5-year average‡
Overall	0	2	2	23	355	592	0	2	0	1	49	65
Seoul	0	0	1	1	47	94	0	0	0	0	5	9
Busan	0	0	0	0	16	35	0	0	0	0	6	3
Daegu	0	0	0	0	3	16	0	0	0	0	1	2
Incheon	0	0	0	2	29	30	0	0	0	0	2	3
Gwangju	0	0	0	1	13	37	0	0	0	0	1	2
Daejeon	0	0	0	0	12	24	0	0	0	0	0	3
Ulsan	0	0	0	2	8	23	0	0	0	0	2	1
Sejong	0	0	0	0	0	4	0	0	0	0	0	0
Gyeonggi	0	2	1	13	155	168	0	1	0	0	13	19
Gangwon	0	0	0	1	17	12	0	0	0	0	0	2
Chungbuk	0	0	0	0	8	10	0	1	0	1	3	2
Chungnam	0	0	0	0	5	28	0	0	0	0	8	3
Jeonbuk	0	0	0	0	1	18	0	0	0	0	2	3
Jeonnam	0	0	0	0	3	21	0	0	0	0	1	4
Gyeongbuk	0	0	0	0	20	25	0	0	0	0	3	3
Gyeongnam	0	0	0	1	11	40	0	0	0	0	2	5
Jeju	0	0	0	2	7	7	0	0	0	0	0	1

Cum: Cumulative counts from 1st week to current week in a year

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

## 2. (Continued) Reported cases by geography, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases<sup>†</sup>

Reporting area	Diseases of Category III											
	Japanese encephalitis			Malaria			Legionellosis			Vibrio vulnificus sepsis		
	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>
Overall	0	0	0	0	7	10	3	60	70	0	0	0
Seoul	0	0	0	0	3	2	2	17	17	0	0	0
Busan	0	0	0	0	0	1	0	3	4	0	0	0
Daegu	0	0	0	0	0	0	1	3	4	0	0	0
Incheon	0	0	0	0	0	1	0	4	4	0	0	0
Gwangju	0	0	0	0	0	1	0	1	1	0	0	0
Daejeon	0	0	0	0	0	1	0	2	1	0	0	0
Ulsan	0	0	0	0	0	0	0	1	1	0	0	0
Sejong	0	0	0	0	0	0	0	0	0	0	0	0
Gyeonggi	0	0	0	0	2	3	0	17	16	0	0	0
Gangwon	0	0	0	0	0	1	0	1	2	0	0	0
Chungbuk	0	0	0	0	0	0	0	1	1	0	0	0
Chungnam	0	0	0	0	0	0	0	3	1	0	0	0
Jeonbuk	0	0	0	0	0	0	0	0	2	0	0	0
Jeonnam	0	0	0	0	1	0	0	1	3	0	0	0
Gyeongbuk	0	0	0	0	0	0	0	4	3	0	0	0
Gyeongnam	0	0	0	0	1	0	0	0	4	0	0	0
Jeju	0	0	0	0	0	0	0	2	6	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

<sup>†</sup> According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.<sup>‡</sup> Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

## 2. (Continued) Reported cases by geography, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases<sup>†</sup>

Reporting area	Diseases of Category III											
	Murine typhus			Scrub typhus			Leptospirosis			Brucellosis		
	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>
Overall	0	2	0	8	245	138	0	2	7	0	0	0
Seoul	0	0	0	0	1	4	0	0	1	0	0	0
Busan	0	0	0	1	5	7	0	0	1	0	0	0
Daegu	0	0	0	0	4	2	0	0	0	0	0	0
Incheon	0	0	0	0	0	2	0	0	0	0	0	0
Gwangju	0	0	0	0	0	3	0	0	0	0	0	0
Daejeon	0	0	0	1	4	2	0	0	0	0	0	0
Ulsan	0	0	0	0	2	3	0	0	0	0	0	0
Sejong	0	0	0	0	0	1	0	0	0	0	0	0
Gyeonggi	0	0	0	0	8	6	0	0	1	0	0	0
Gangwon	0	0	0	0	0	1	0	0	0	0	0	0
Chungbuk	0	0	0	0	1	2	0	0	0	0	0	0
Chungnam	0	0	0	1	15	10	0	1	2	0	0	0
Jeonbuk	0	0	0	2	25	24	0	0	1	0	0	0
Jeonnam	0	2	0	0	103	34	0	0	1	0	0	0
Gyeongbuk	0	0	0	1	8	4	0	0	0	0	0	0
Gyeongnam	0	0	0	2	65	28	0	1	0	0	0	0
Jeju	0	0	0	0	4	5	0	0	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

## 2. (Continued) Reported cases by geography, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases<sup>†</sup>

Reporting area	Diseases of Category III											
	Hemorrhagic fever with renal syndrome			Creutzfeldt–Jacob Disease			Dengue fever			Q fever		
	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>
Overall	2	35	33	0	0	13	2	28	21	1	9	7
Seoul	0	1	1	0	0	3	1	5	7	0	2	0
Busan	0	0	1	0	0	1	0	0	2	0	0	0
Daegu	0	0	1	0	0	0	0	0	1	0	0	0
Incheon	0	1	1	0	0	0	0	1	2	0	0	0
Gwangju	0	0	1	0	0	1	0	0	0	0	0	0
Daejeon	1	1	1	0	0	0	0	0	0	0	0	1
Ulsan	0	0	0	0	0	0	0	1	0	0	0	0
Sejong	0	0	0	0	0	0	0	0	0	0	0	0
Gyeonggi	0	4	5	0	0	4	0	14	6	0	0	1
Gangwon	0	1	4	0	0	1	0	0	1	0	0	0
Chungbuk	0	1	0	0	0	0	0	0	1	1	3	2
Chungnam	1	6	4	0	0	0	1	1	1	0	1	1
Jeonbuk	0	4	6	0	0	1	0	2	0	0	1	1
Jeonnam	0	6	5	0	0	0	0	2	0	0	0	1
Gyeongbuk	0	3	2	0	0	1	0	0	0	0	2	0
Gyeongnam	0	5	1	0	0	1	0	2	0	0	0	0
Jeju	0	2	0	0	0	0	0	0	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

<sup>†</sup> According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.<sup>‡</sup> Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.



## 2. (Continued) Reported cases by geography, week ending March 9, 2024 (10th Week)\*

Unit: no. of cases<sup>†</sup>

Reporting area	Diseases of Category III								
	Lyme Borreliosis			Severe fever with thrombocytopenia syndrome			Zika virus infection		
	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>	Current week	Cum. 2024	Cum. 5-year average <sup>‡</sup>
Overall	0	0	2	0	0	0	0	0	0
Seoul	0	0	1	0	0	0	0	0	0
Busan	0	0	0	0	0	0	0	0	0
Daegu	0	0	0	0	0	0	0	0	0
Incheon	0	0	1	0	0	0	0	0	0
Gwangju	0	0	0	0	0	0	0	0	0
Daejeon	0	0	0	0	0	0	0	0	0
Ulsan	0	0	0	0	0	0	0	0	0
Sejong	0	0	0	0	0	0	0	0	0
Gyeonggi	0	0	0	0	0	0	0	0	0
Gangwon	0	0	0	0	0	0	0	0	0
Chungbuk	0	0	0	0	0	0	0	0	0
Chungnam	0	0	0	0	0	0	0	0	0
Jeonbuk	0	0	0	0	0	0	0	0	0
Jeonnam	0	0	0	0	0	0	0	0	0
Gyeongbuk	0	0	0	0	0	0	0	0	0
Gyeongnam	0	0	0	0	0	0	0	0	0
Jeju	0	0	0	0	0	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

\* The reported data for year 2023, 2024 is provisional but the data from 2019 to 2022 are finalized data.

<sup>†</sup> According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.<sup>‡</sup> Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

## II. Sentinel-Reporting Infectious Diseases

### 1. Influenza, weeks ending March 2, 2024 (9th Week)

- Weekly proportion of influenza-like illness per 1,000 outpatients: 14.8 cases (=1.5%)
- Trend: decrease from 17.9 cases in 8<sup>th</sup> week of 2024
- Sentinel reporting sites: 198 primary clinics
- ※ 2023–2024 season epidemic threshold: 6.5 cases (/1,000)




Figure 1. Weekly proportion of Influenza-like Illness per 1,000 outpatients, 2019–2020 to 2023–2024 flu seasons

### 2. Hand, Foot and Mouth Disease (HFMD), weeks ending March 9, 2024 (10th Week)

- Weekly proportion of hand, foot and mouth disease (HFMD) per 1,000 outpatients: 0.7 cases
- Trend: decrease from 1.0 cases in 9<sup>th</sup> Week of 2024
- Sentinel reporting sites: 109 pediatric clinics




Figure 2. Weekly proportion of clinically suspected HFMD case per 1,000 outpatients, 2020–2024

### 3. Ophthalmologic infectious diseases, weeks ending March 9, 2024 (10th Week)

- Weekly proportion of clinically suspected epidemic keratoconjunctivitis per 1,000 outpatients: 3.2 cases
- Trend: decrease from 3.4 cases in 9<sup>th</sup> Week of 2024
- Sentinel reporting sites: 85 clinics




Figure 3. Weekly proportion of clinically suspected epidemic keratoconjunctivitis case per 1,000 outpatients, 2020–2024

- Weekly proportion of clinically suspected acute hemorrhagic conjunctivitis case per 1,000 outpatients: 0.5 case
- Trend: increase from 0.2 case in 9<sup>th</sup> Week of 2024
- Sentinel reporting sites: 85 clinics




Figure 4. Weekly proportion of clinically suspected acute hemorrhagic conjunctivitis case per 1,000 outpatients, 2020–2024

## 4. Sexually Transmitted Diseases, weeks ending March 9, 2024 (10th Week)

- Cases per sentinel: 3.5 for Human papilloma virus infection, 2.8 for Genital herpes, 1.7 for Chlamydia, 1.4 for Condyloma acuminata, 1.3 for Gonorrhea
- Variations from 9<sup>th</sup> Week of 2024  
Increase: Gonorrhea (1.0→1.3), Human papilloma virus infection (3.4→3.5)  
No change: Chlamydia (1.7→1.7), Genital herpes (2.8→2.8),  
Decrease: Condyloma acuminata (1.5→1.4)
- Sentinel reporting sites: 569 hospitals/clinics
- \* No. of reported sites in 10<sup>th</sup> Week: 20 for gonorrhea, 71 for chlamydia, 51 for genital herpes, 26 for condyloma acuminata, 42 for human papilloma virus infection

Unit: no. of cases/sentinels

Gonorrhea			Chlamydia			Genital herpes		
Current week	†Cum. 2024	Cum. 5-year average <sup>§</sup>	Current week	†Cum. 2024	Cum. 5-year average <sup>§</sup>	Current week	†Cum. 2024	Cum. 5-year average <sup>§</sup>
1.3	2.1	2.8	1.7	5.7	5.8	2.8	11.9	11.5

Condyloma acuminata			Human papillomavirus infection		
Current week	†Cum. 2024	Cum. 5-year average <sup>§</sup>	Current week	†Cum. 2024	Cum. 5-year average <sup>§</sup>
1.4	4.3	5.0	3.5	21.5	9.4

Cum: Cumulative counts from 1st week to current week in a year

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

## III. Waterborne and Foodborne Infectious Diseases

### 1. Waterborne and foodborne disease outbreaks, weeks ending March 9, 2024 (10th Week)

- No. of reported 11 outbreaks with 216 patients (cumulative no. : 106 outbreaks, with 1,496 patients)
- Trend: increase from 5 outbreaks in 9<sup>th</sup> week of 2024




Figure 5. Number of waterborne and foodborne disease outbreaks reported by week, 2023–2024

## IV. Laboratory-based Pathogen Surveillance: Influenza and Respiratory Viruses

### 1. Influenza viruses, weeks ending March 9, 2024 (10th Week)

- Weekly reported number of specimens positive for influenza: 5.7%  
[influenza subtype: A(H1N1)pdm09 0%, A(H3N2) 1.8%, B 3.9%]
- Variation (%p): decrease from 6.1% in 9<sup>th</sup> week of 2024
- Sentinel reporting sites: 77 hospitals/clinics




Figure 6. Number of specimens positive for influenza by subtype, 2023–2024 flu season

### 2. Respiratory viruses, weeks ending March 9, 2024 (10th Week)

- Detection rate: 68.8% (cumulative mean proportion during preceding three weeks plus current week: 71.3%)
- Variation (%p): decrease from 72.4% in 9<sup>th</sup> week of 2024
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 77 hospitals/clinics

2024 (week)	Weekly total	Detection rate (%)								
	Detection rate (%)	HAdV	HBoV	HPIV	HRSV	HRV	HMPV	HCoV	IFV	SARS-CoV-2
7	73.2	5.4	0.7	0.7	12.3	5.4	2.5	6.2	17.8	22.1
8	71.2	5.7	1.8	2.1	11.4	8.8	3.9	5.5	10.6	21.3
9	72.4	4.8	2.1	0.3	15.2	9.7	8.2	6.1	6.1	20.0
10	68.8	8.3	2.4	1.5	9.8	10.7	5.4	4.5	5.7	20.5
Cum.*	71.3	6.1	1.8	1.2	12.1	8.8	5.0	5.5	9.7	20.9
2023 Cum.†	81.4	14.8	4.0	6.3	6.4	14.3	4.5	5.2	16.1	9.8

– HAdV : human Adenovirus, HPIV : human Parainfluenza virus, HRSV : human Respiratory syncytial virus, IFV : Influenza virus, HCoV : human Coronavirus, HRV : human Rhinovirus, HBoV : human Bocavirus, HMPV : human Metapneumovirus

※ Cum. : the rate of detected cases between Feb 11, 2024 – Mar 9, 2024

† 2023 Cum. : the rate of detected cases between January 1, 2023 – December 30, 2023

## V. Laboratory-based Pathogen Surveillance: Acute Gastroenteritis Viruses/Bacteria

### 1. Acute gastroenteritis-causing virus, weeks ending March 2, 2024 (9th Week)

- Detection rate: 34.0% (cumulative mean proportion in 2024: 307 cases [54.6%] out of 562 specimens)
- Variation (%p): decrease from 52.1% in 8<sup>th</sup> week of 2024
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 72 hospitals/clinics

Week	No. of sample	No. of detection (Detection rate, %)					
		Norovirus	Group A Rotavirus	Enteric Adenovirus	Astrovirus	Sapovirus	Total
6	65	24 (36.9)	3 (4.6)	1 (1.5)	0 (0.0)	0 (0.0)	28 (43.1)
7	57	32 (56.1)	1 (1.8)	1 (1.8)	2 (3.5)	0 (0.0)	36 (63.2)
8	48	25 (52.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	25 (52.1)
9	47	14 (29.8)	1 (2.1)	0 (0.0)	0 (0.0)	1 (2.1)	16 (34.0)
Cum. 2024	562	275 (48.9)	17 (3.0)	6 (1.1)	4 (0.7)	5 (0.9)	307 (54.6)

\* The samples were collected from children ≤5 years of sporadic acute gastroenteritis in Korea.

### 2. Acute gastroenteritis-causing bacteria, weeks ending March 2, 2024 (9th Week)

- Detection rate: 9.6% (cumulative mean proportion in 2024: 212 cases [10.2%] out of 2,081 specimens)
- Variation (%p): decrease from 14.1% in 8<sup>th</sup> week of 2024
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 76 hospitals/clinics

Week	No. of Sample	No. of isolation (Isolation rate, %)									Total
		<i>Salmonella</i> spp.	Pathogenic <i>E.coli</i>	<i>Shigella</i> spp.	<i>V.parahaemolyticus</i>	<i>V. cholerae</i>	<i>Campylobacter</i> spp.	<i>C.perfringens</i>	<i>S. aureus</i>	<i>B. cereus</i>	
6	211	1 (0.5)	9 (4.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.5)	3 (1.4)	5 (2.4)	3 (1.4)	22 (10.4)
7	236	1 (0.4)	3 (1.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	1 (0.4)	4 (1.7)	5 (2.1)	16 (6.8)
8	213	6 (2.8)	7 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (0.9)	7 (3.3)	5 (2.3)	3 (1.4)	30 (14.1)
9	136	1 (0.7)	2 (1.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (1.5)	6 (4.4)	2 (1.5)	13 (9.6)
Cum. 2024	2,081	17 (0.8)	66 (3.2)	0 (0.0)	1 (0.04)	0 (0.0)	12 (0.6)	37 (1.8)	49 (2.4)	25 (1.2)	212 (10.2)

\* Bacterial Pathogens: *Salmonella* spp., *E. coli* (EHEC, ETEC, EPEC, EIEC), *Shigella* spp., *Vibrio parahaemolyticus*, *Vibrio cholerae*, *Campylobacter* spp., *Clostridium perfringens*, *Staphylococcus aureus*, *Bacillus cereus*, *Listeria monocytogenes*, *Yersinia enterocolitica*.

\* Hospitals participating in Laboratory surveillance in 2024 (76 hospitals/clinics)

## VI. Laboratory-based Pathogen Surveillance: Enterovirus

### 1. Enterovirus, weeks ending March 2, 2024 (9th Week)

- Detection rate: 0.0% (0 cases / 4 specimens) (cumulative mean proportion in 2024: 24.2% [23 cases / 95 specimens])
  - Aseptic meningitis: 0 case (Cum. 2024: 2 cases)
  - HFMD and herpangina: 0 cases (Cum. 2024: 9 cases)
  - HFMD with complications: 0 case (Cum. 2024: 1 case)
  - Other: 0 case (Cum. 2024: 12 cases)
- Variation (%p): decrease from 25.0% in 8th week of 2024
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 77 hospitals/clinics




Figure 7. Detection of enterovirus in aseptic meningitis patients from 2022 to 2024




Figure 8. Detection of enterovirus in HFMD and herpangina patients from 2022 to 2024




Figure 9. Detection of enterovirus in HFMD with complications patients from 2022 to 2024

## About PHWR Surveillance Statistics of Infectious Diseases

The Public Health Weekly Report (PHWR) Surveillance Statistics of Infectious Disease is prepared by the Korea Disease Control and Prevention Agency (KCDA). These provisional surveillance data on the reported occurrence of national notifiable diseases and conditions are compiled through population-based or sentinel-based surveillance systems and published weekly, except for data on infrequent or recently-designated diseases. These surveillance statistics are informative for analyzing infectious disease or condition numbers and trends. However, the completeness of data might be influenced by some factors such as a date of symptom or disease onset, diagnosis, laboratory result, reporting of a case to a jurisdiction, or notification to Korea Disease Control and Prevention Agency. The official and final disease statistics are published in infectious disease surveillance yearbook annually.

## Using and Interpreting These Data in Tables

- **Current Week** – The number of cases under current week denotes cases who have been reported to Korea CDC at the central level via corresponding jurisdictions(health centers, and health departments) during that week and accepted/approved by surveillance staff.
- **Cum. 2024** – For the current year, it denotes the cumulative(Cum) year-to-date provisional counts for the specified condition.
- **5-year weekly average** – The 5-year weekly average is calculated by summing, for the 5 proceeding years, the provisional incidence counts for the current week, the two weeks preceding the current week, and the two weeks following the current week. The total sum of cases is then divided by 25 weeks. It gives help to discern the statistical aberration of the specified disease incidence by comparing difference between counts under current week and 5-year weekly average.

For example,

	Week Number				
	10	11	12	13	14
2024			Current week		
2023	X1	X2	X3	X4	X5
2022	X6	X7	X8	X9	X10
2021	X11	X12	X13	X14	X15
2020	X16	X17	X18	X19	X20
2019	X21	X22	X23	X24	X25

$$5\text{-year weekly average for current week} = (X1 + X2 + \dots + X25) / 25$$

- **Cum. 5-year average** – Mean value calculated by cumulative counts from 1st week to current week for 5 preceding years. It gives help to understand the increasing or decreasing pattern of the specific disease incidence by comparing difference between cum. 2024 and cum. 5-year average.

## Contact Us

Questions or comments about the PHWR Surveillance Statistics of Infectious Disease can be sent to [phwrcdc@korea.kr](mailto:phwrcdc@korea.kr)